

According to the Regulation No. 1907/2006

Page 1 of 14

| Product | | PODRAVINA MIX CRUDE OIL | | Date: | 13.3.2019 | | |
|--|--|---|---|-----------|------------------|--|--|
| | | | | Edition: | 1 | | |
| 1 IDENTIEI | CATION OF THE | SUBSTANCE / M | XTURE AND OF | | 1Y / | | |
| | 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING | | | | | | |
| 1.1. Produc | t identifier | | | | | | |
| - Trade nan | ne: | Podravina mix | crude oil | | | | |
| - Chemical | name: | - | - | | | | |
| - Index no.: | | - | - | | | | |
| - EC no.: | | - | - | | | | |
| - CAS no.: | | - | | | | | |
| - Registration No.: | | | Substances contained in the mixture are exempt from registration in accordance with Annex V of Regulation (EC) No. 1907/2006 (REACH). | | | | |
| - Product c | ode: | 1002586 | | | | | |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against | | | | | against | | |
| - Relevant identified uses: | | Raw material. | | | | | |
| - Uses advised against: | | The uses that are listed above are relevant. Other uses are not recommended unless an assessment that proves that the related risks are controlled has been conducted before starting that use. | | | | | |
| 1.3. Details | of the supplier | of the safety data s | sheet | | | | |
| - Manufactu | urer/supplier: | INA-Industrija r | nafte, d.d. | | | | |
| Address: | ddress: Av. Većeslava Holjevca 10 pp 555, 10002 Zagreb, HRVATSK | | | | | | |
| Phone: | | -842 / 00-385-1-645 | , , , , , , , , , , , , , , , , , , , | | | | |
| Fax: | 00-385-1-6452- | | e-mail: | <u>sc</u> | <u>ds@ina.hr</u> | | |
| - Responsi Mirela Mavr Hrvoje Rauł | inac, B.Sc. | | SD & HSE Tel. 00-385-1-6450 | 0-803 | | | |
| 1.4. Emerge | ency Telephone | Number | | | | | |
| - Emergeno | y Service Telep | hone Number: | 112 | | | | |
| National F | Protection and R | escue Directorate | 00-385-1-365 | 0-011 | | | |
| • | 5, 10000 Zagreb | | 00-385-1-365 | | | | |
| e-mail: <u>inf</u> | <u>o@duzs.hr</u> | | 00-385-1-365 00-385-1-365 | | | | |
| - Medical Information Telephone Number: | | | 00-385-1-23-4 | 48-342 | | | |

2. HAZARDS IDENTIFICATION

- 2.1. Classification of the substance or mixture
- 2.1.1. Classification according to Regulation (EC) No 1272/2008 (CLP/GHS):
 - Flam. Liq. 2; H225 Eye Irrit. 2; H319



According to the Regulation No. 1907/2006

Page 2 of 14

| NDUSTRIJA NAFTE, d.d. | According to the Re |
|-----------------------|---------------------|
| | |
| | |

| Product | | Date: | 13.3.2019 |
|---------|-------------------------|----------|-----------|
| | PODRAVINA MIX CRUDE OIL | Edition: | 1 |

Asp. Tox.1; H304 Carc. 1B; H350 Muta. 1B; H340 Repr. 1B; H360D*** STOT SE 3; H336 STOT RE 2; H373 (blood, spleen, liver, thymus) Aquatic Chronic 2; H411

Full text of H-phrases: see section 16.

2.2. Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Hazard pictograms:



Signal word: Danger

| Hazard statements (H): | H225 | Highly flammable liquid and vapour. |
|----------------------------------|---------------|--|
| | H304 | May be fatal if swallowed and enters airways. |
| | H319 | Causes serious eye irritation. |
| | H336 | May cause drowsiness or dizziness. |
| | H340 | May cause genetic defects. |
| | H350 | May cause cancer. |
| | H360D*** | May damage the unborn child. |
| | H373 | May cause damage to organs through prolonged or repeated exposure. |
| | H411 | Toxic to aquatic life with long lasting effects. |
| | EUH066 | Repeated exposure may cause skin dryness or cracking. |
| Precautionary statements (P): | P201 | Obtain special instructions before use. |
| | P210 | Keep away from heat/sparks/open flames/hot surfaces. — No smoking. |
| | P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| | P301+ P310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| | P331 | Do NOT induce vomiting. |
| | | |



According to the Regulation No. 1907/2006

Page 3 of 14

| Product | | Date: | 13.3.2019 |
|---------|-------------------------|----------|-----------|
| | PODRAVINA MIX CRUDE OIL | Edition: | 1 |

P501

Dispose of contents/container in accordance with legal regulations.

2.3. Other hazards

The product does not meet the criteria for PBT or vPvB classification in Annex XIII of REACH.

| 3. COMPOSITION / INFORMATION ON INGREDIENTS | | | | | | |
|---|----------------------|------------------------|--|--------------------------|------|---|
| -Substance: | | | | Mixture | : X | |
| - Components | contributing | g to produc | t hazardousness: | | • | |
| Substance name | 5 | Substance iden | tification | Classification according | | assification according to Jation (EC) No 1272/2008 |
| Substance hame | CAS no. | EC no. | Registration no. (REACH) | [%] | Regi | (CLP/GHS) |
| Crude oil | 8002-05-9 | 232-298-5 | Substance is exempt from registration in accordance with Annex V of Regulation (EC) No. 1907/2006 (REACH) | 45-50 | | Flam. Liq. 2; H225 Eye Irrit. 2; H319 Asp. Tox.1; H304 Carc. 1B; H350 STOT SE 3; H336 RE 2; H373 (blood, spleen, liver, thymus) quatic Chronic 2; H411 |
| Gas condensate | 64741-47-5 | 265-047-3 | Substance is exempt from registration in accordance with Annex V of Regulation (EC) No. 1907/2006 (REACH) | 50-55 | | Carc. 1B; H350 Muta. 1B; H340 Asp.tox.1; H304 |
| Benzene ⁽¹⁾ | 71-43-2 | 200-753-7 | - | 1,45 | | Flam. Liq. 2; H225 Carc. 1A; H350 Muta. 1B; H340 STOT RE 1; H372 Asp. Tox. 1; H304 Eye Irrit. 2; H319 Skin Irrit. 2; H315 |
| Toluene ⁽¹⁾ | 108-88-3 | 203-625-9 | - | 3,49 | | Flam. Liq. 2; H225 Repr. 2; H361d Asp. Tox.1; H304 STOT RE 2*; H373 Skin Irrit. 2; H315 STOT SE 3; H336 |
| Ethylbenzene ⁽¹⁾ | 100-41-4 | 202-849-4 | - | 0,57 | ST | Flam. Liq. 2; H225 Acute Tox. 4*; H332 OT RE 2; H373 (hearing organs) Asp. Tox. 1; H304 |
| m-, p-xylene ⁽¹⁾ | 106-42-3 108-38-3 | 203-396-5 203-576-3 | - | 3,68 | | Flam. Liq. 3 H226 Acute Tox. 4*; H332 Acute Tox. 4*; H312 |



According to the Regulation No. 1907/2006

Page 4 of 14

| Product | | PODRAVINA MIX CRUDE OIL | | | Date: Edition: | 13.3.2019 1 |
|--------------------------|-----------|-------------------------|---|------|---------------------------------|--|
| | | | | | Skin Ir | rit 2; H315 |
| o- xylene ⁽¹⁾ | 95-47-6 | 202-422-2 | - | 1,00 | Acute To Acute To | .iq. 3 H226 ox. 4*; H332 ox. 4*; H312 rit 2; H315 |
| Mercury ⁽¹⁾ | 7439-97-6 | 231-106-7 | - | 1,79 | Acute To STOT R Aquatic A | 3; H360D*** ox. 2 *; H330 E 1; H372** .cute 1; H400 nronic 1; H410 |

⁽¹⁾ These components were not added on purpose but are reported as important for classification.

4. FIRST AID MEASURES

4.1 Description of first aid measures

| - general information: | In case of ingestion, always assume aspiration into the lungs has occurred, accompanied by the pulmonary oedema hazard. Show the label on the packaging or the SDS. | | | |
|-------------------------|---|--|--|--|
| - after inhalation: | Remove the person from dangerous area to fresh air. In case of headache, dizziness, nausea and permanent complaints immediately seek medical attention. In case of difficulty in breathing or respiratory arrest, open airways, initiate resuscitation (heart massage and artificial respiration) and immediately seek medical attention. | | | |
| - after skin contact: | Take the soaked clothing and footwear off in a safe manner. Rinse thoroughly the places of contact with water and soap for 10-15 minutes. In case of irritation, swelling or redness immediately seek medical assistance. | | | |
| - after eye contact: | Remove contact lenses (if present) and flush the eyes with running water for at least 15 minutes. In case of irritation, blurred vision and swelling immediately seek medical attention. | | | |
| - after ingestion: | Do NOT induce vomiting! Do not give anything by mouth. Always assume aspiration into the lungs has occurred. If vomiting occurs, keep the head below the level of hips in order to prevent penetration into the lungs. Immediately seek medical attention. | | | |
| 4.2 Most important symp | ptoms and effects, both acute and delayed | | | |
| - after inhalation: | May cause drowsiness or dizziness. | | | |
| - after skin contact: | Repeated exposure may cause skin dryness or cracking. | | | |
| - after eye contact: | Redness, strong eye irritation. | | | |
| - after ingestion: | It can cause nausea or headache. May cause lung damage if swallowed. | | | |

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Only qualified medical personnel should administer oxygen.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media



According to the Regulation No. 1907/2006

Page 5 of 14

| Product PODRAVI | | INA MIX CRUDE OIL | Date: Edition: | 13.3.2019 1 |
|--|-----------------|--|-----------------------------|---|
| | | ting powder class B, water mi or earth is allowed. | st for large | fires, for smaller |
| - UNSUITABLE: Water jet. | | | | |
| - Firefighting measu hazards: | res for special | Remove all ignition source Particularly take into accounce creating an explosive metemperatures. Carbon mono incomplete combustion. It inorganic compounds. | unt that the ixture with | ere is a risk of air at room velop in case of |
| - Special firefighting measures: | | Use of water mist and spray for cooling the storage tank surfaces, equipment and access to affected area. Use of water mist and spray for cooling of undamaged storage tanks surfaces exposed to heat and for protection of persons. Only those trained in fire-fighting/fire protection may use water spray (dispersed water). | | |
| - Special fire fighter equipment: | protective | Self-contained open-circuit apparatus in accordance with Protective clothing for firefig accordance with HRN EN 46 | h HRN EN 1 ghters (inte | 37. |
| 5.2 Special hazards arising from the substance or mixture: | | Vapours, as heavier than air, and in recesses; they may s ignition is possible. Vapours possible on water surface. | pread along | ground, remote |
| 5.3 Advice for firefigl | hters: | No data. | | |

6. ACCIDENTAL RELEASE MEASURES

| 6.1 Personal precautions, protective equipment and emergency procedures: | Display a visible sign prohibiting entrance, use of open flame and sparking devices. Eliminate all sources of ignition. Measure the concentration of fumes in the air, in compliance with regulations. Do not inhale vapours, evaporation. Do not smoke. Stand upwind of the spill site. Use personal protection equipment listed in Section 8. |
|--|--|
| 6.2 Environmental precautions: | Define the risk area and prevent discharging and spilling into watercourses, canals, drainage systems and soil by digging out a protective ditch, fencing it with bags filled with dry sand, earth or clay. Provide good ventilation of the area. In case of major leaks notify the Emergency Service by dialling 112. |



According to the Regulation No. 1907/2006

Page 6 of 14

| Product | PODRAVINA MIX CRUDE OIL | Date: Edition: | 13.3.2019 1 |
|---|---|-------------------|----------------|
| 6.3 Methods for cleaning-up and recovery: | Pump the product from the c tank - container with the pu | | |

| | potentially explosive atmosphere. Absorb the remainders with absorbents (sand, mineral adsorbents and other inert material). Store the waste material and contaminated surface layer of soil that was removed in tightly closed containers in well-ventilated premises until disposal. Hand over for disposal to legal entities for hazardous waste disposal, authorised by the Ministry in charge of environmental protection. |
|------------------------|--|
| - Additional warnings: | In case of spillage into waterways, inform National Protection and Rescue Directorate (DUZS) on telephone number 112. |

6.4 Reference to other sections:

See sections 8 and 13.

7. HANDLING AND STORAGE

- Handling

7.1 Precautions for safe handling

- 7.1.1 Safe handling advice: Re-loading i.e. unloading/loading shall be performed in open space with proper equipment. Respect measures related to fire prevention and protection at work. Keep away from heat sources and remove all ignition sources. Provide good ventilation of the area.
- 7.1.2 Advice on general occupational hygiene: Do not smoke, eat, drink or keep food in a room where this product is handled. It is mandatory to wear prescribed work suit, rubber boots, protective gloves and googles. Personal clothing should be kept separately from work clothing and work place. Heavily soiled, soaked or torn clothing should be immediately replaced.

7.2 Conditions for safe storage, including any incompatibilities

- SUITABLE: Store in tightly closed containers, properly built and equipped where adequate temperature is provided and ensure good ventilation of the area. Take preventive measures against electrostatic charge. Make sure that receiving tank farms are below self-supporting tanks.
- TO BE AVOIDED: All other, especially storage close to waterways.
- Packaging materials
- RECOMMENDED: Original as made by the tank/container manufacturer with valid certification.

- NOT SUITABLE: Any other.

7.3 Specific end use(s): No data.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

According to the Regulation No. 1907/2006



Page 7 of 14

| Product PODRA | VINA MIX CRU | DE OIL | Date: 13.3.2019 Edition: 1 |
|---|-------------------------|-------------------|---|
| Hazardous substance (CAS No.) | limit values/short term | | Biological limit values |
| | ppm | mg/m ³ | |
| benzene (71-43-2) | 1/- | 3,25/- | 28 μg /L (0,36 μmol/L) – blood immediately at the end of work shift 46 μg/g of creatinine* (21,7 μmol/mol of creatinine*) – urine sample at the end of work |
| | | | shift |
| toluene (108-88-3) | 50/192 | 100/384 | 1,0 mg/L (10,85 μmol/L) – blood at the end of work shift 0,83 μmol/L (20 ppm) – in extremely exhaled air during exposure period |
| ethylbenzene (100-41-4) | 100/442 | 200/884 | 1,50 mg/L (14,1 μmol/L) – blood during exposure 1,50 g/g creatinine* (1,12 mol/mol creatinine*) – urine sample at the end of work shift and at the end of work week |
| o,m,p-xylene (95-47-6, 108-38-3, 106-42-3) | 50/221 | 100/442 | 1,50 mg/L (14,13 µmol/L) blood immediately at the end of work shift, alcohol consummation before exposure increases finding of xylene 1,50 g/g creatinine* (0,88 mol/mol creatinine*) urine sample at the end of work shift |
| mercury (7439-97-6) | -/0,02 | -/- | 10 μg/L (0,05 μmol/L) – blood is not critical 30 μg/g creatinine* (16,9 μmol/mol creatinine*) – urine, single sample or urine collected during 24 hours |

- Monitoring procedures: Measuring oxygen concentrations in air, according to the regulations.



According to the Regulation No. 1907/2006

Page 8 of 14

| Product | | Date: | 13.3.2019 |
|-------------------------|--|----------|-----------|
| PODRAVINA MIX CRUDE OIL | | Edition: | 1 |

8.2. Exposure controls

- Summary of risk management measures: Provide good ventilation / air outlet in the premises.

8.2.1 Occupational exposure controls

- Description of operating procedure and technological control:

Provide good ventilation / air outlet of work area. Provide a decontamination sprayer for the eyes and face. Adopt personal hygiene measures: wash the hands after contact with the product, especially before eating, drinking and/or smoking. Regularly maintain and wash the clothing and equipment after use to remove dirt. Properly dispose of the contaminated clothing and equipment. Maintain cleanliness in accordance with good practice. Educate the employees on the hazards and control measures. Test and maintain the equipment used when handling crude oil: for example, personal protective equipment and ventilation system. Do not swallow. If swallowed, seek medical attention.

8.2.2 Personal protective equipment

| respiratory tract protection: | In case of accident, if concentration is greater than OEL protective mask (HRN EN 136) or with filter "A" (HRN EN 14387) should be used, while at oxygen concentrations lower than 17%, self-contained open circuit compressed air breathing apparatus (HRN EN 137) should be used. |
|--|--|
| - hand protection: | Wear protective gloves made of stable and impermeable material. In case of full contact, wear gloves made of nitrile rubber, 0.40 mm thick; in contact with drops wear gloves made of nitrile rubber, 0.11 mm thick. In case of longer exposure use gloves made of viton (HRN EN 374). |
| - eye protection: | Protective goggles or visor (HRN EN 166). |
| - skin and body protection: | Use chemical resistant gloves, clothing and apron (where there is a risk of splashing). |
| Special hygienic and safety precautions: | Regularly maintain the prescribed hygiene standards for working with hazardous substances. Remove contaminated clothing and footwear. Inspect the equipment and devices regularly and maintain with running water. Do not smoke, eat, and drink when handling the product. Wash hands before breaks and at the end of work. |

8.2.3 Environmental exposure controls

- Summary of risk management measures: No data.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1. Information on basic physical and chemical properties
- state: Liquid.
- colour: Dark brown.
- odour: Characteristic, after hydrocarbons.
- odour threshold: No data.
- pH value (indicate conc. and temp.): No data.
- Melting point/freezing point: °C No data.



According to the Regulation No. 1907/2006

Page 9 of 14

| Product PODRA | VINA MIX CRU | IDE OIL | Date: Edition: | 13.3.2019 1 |
|---|--------------------------------|---|-------------------|----------------|
| - boiling point/boiling range: | °C | 39-547 | | |
| - flash point: | °C | < -31 | | |
| - Evaporation rate: | | 10 min./29,03 | | |
| | | 30 min./43,01 | | |
| . | | 60 min./48,48 | | |
| - flammability (solid, gas): | | Highly flammable | liquid and | vapour. |
| - explosive limits: | vol. % | No data. | | |
| - vapour pressure: | kPa | 40 | | |
| - vapour density at 15°C: | kg/m³ | No data. | | |
| - relative density: | | 0,8051 | | |
| - density at 15°C: | kg/m³ | 805,1 | | |
| - solubility (indicate solvent): | g/L | Good solubility. | | |
| - Solubility in water: | g/L | Low solubility. | | |
| - partition coefficient n-octanol / water | 0 | No data. | | |
| - auto ignition temperature: | °C | No data. | | |
| - disintegration temperature: | °C | No data. | | |
| - viscosity (kinematic) at 40 °C: | mm²/s | 1,78 | | |
| - oxidizing properties: | | Non-oxidizing. | | |
| - conductivity: | pS/m | 125 000 | | |
| 9.2 Other information: | | | | |
| | | | | |
| 10. STABILITY AND REACTIVITY | Stable un | dar raaammandar | h hondling | and storage |
| 10.1 Reactivity: | | der recommendeo Do not polymerize. | d handling | g and storage |
| 10.2 Chemical stability: | | der recommended | d handling | g and storage |
| 10.3 Possibility of hazardous reactions: | Potentially I | nazardous reaction | s are not k | nown. |
| 10.4 Conditions to avoid: | Sources of heat, flame, spark. | | | |
| 10.5 Incompatible materials: | Strong oxidants. | | | |
| 10.6 Hazardous decomposition products: | storage; ho | andard operating wever thermal dec ses, including carbo | compositio | n may generate |

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

- Acute toxicity

| - oral (LD ₅₀): | > 5000 mg/kg _{body mass} (rat) |
|-----------------------------------|--|
| - inhalation (LC ₅₀): | > 5000 mg/m ³ (if hydrogen sulphide is not present) |



According to the Regulation No. 1907/2006

Page 10 of 14

| Product | PODRAVIN | IA MIX CRUDE OIL | Date: Edition: | 13.3.2019 1 |
|--|---------------------|--|-------------------|----------------|
| - dermal (LD ₅₀): | > 2000 m | g/kg _{body mass} (rabbit) | | |
| - Irritation/Corrosion | | | | |
| - skin: | Repeated (EUH066 | | e skin drynes | s or cracking. |
| - eyes: | Causes s | trong eye irritation. (H31 | 9) | |
| respiratory tract: | No data. | | | |
| - Sensitisation | | | | |
| - skin: A | t sensitive pers | sons redness and prickle | can appear. | |
| - respiratory tract: | lo data. | | | |
| - Aspiration hazard: N | /lay be lethal if i | ingested and enters resp | iratory tract. | |
| Other classic effects: (unconsciousness, partio metabolites, etc.): | - | May cause nausea drowsiness or dizziness | | e. May cause |
| - Permanent effects due chronic exposure: | to acute or | No data. | | |
| - Special effects | | | | |
| - mutagenicity: | | May cause genetic defe | ects. (H340) | |
| - carcinogenicity: | | May cause cancer. (H3 | 50) | |
| - fertility decrease: | | No data. | | |
| - harmful effect on unborr | n child: | May damage the unbor | n child. (H360D | ***) |
| - toxicity to reproduction: | | No data. | | |
| - other (e.g. endocrine dis | sruptors): | No data. | | |
| - STOT (SE): | | No data. | | |
| - STOT (RE): | | May cause damage t thymus through prolo (H373) | | |
| - Prohibitions and restrie | ctions: | No data. | | |
| - Other: | | No data. | | |
| 12. ECOLOGICAL INFOR | | | | |
| 12.1. Toxicity | | | | |
| - to aquatic organisms: | | Toxic for aquatic life | with lasting effe | ects. |
| - to ground organisms: | | No data. | | |
| - to plants and land animation | als: | No data. | | |
| 12.2. Persistence and de | gradability | | | |
| - biodegradation: | | Partially degradable | | |
| - other degradation proce | sses: | No data. | | |
| - degradation in wastewa | | No data. | | |

No data.

- degradation in wastewater:
- 12.3. Bioaccumulative potential
- bio-concentration factor (BCF):



SAFETY DATA SHEET According to the Regulation No. 1907/2006

Page 11 of 14

| Product POD | RAVINA MIX CRUDE OIL | Date: Edition: | 13.3.2019 1 |
|---|---|-------------------|-----------------|
| | | Edition: | I |
| 12.4. Mobility in soil | | d: No data. | |
| - Known or predicted distribution in environmental compartments: | No data. | | |
| - surface tension: | No data. | | |
| - absorption/desorption: | No data. | | |
| - other physical and chemical prope | erties: See section 9. | | |
| 12.5. Results of PBT and vPvB as | ssessment | | |
| - data from chemical safety report: | Product does not fu classification define Regulation. | | |
| 12.6. Other adverse effects: | No data. | | |
| 13. DISPOSAL CONSIDERATION | c | | |
| 13.1 Waste treatment methods: | | lover to the p | rean authorian |
| 13.1 waste treatment methods: | Waste shall be handed for waste collection, dis the waste shall be reco | sposal or reco | |
| - Waste codes: | 05 01 05* | | |
| - Waste from residues: | There is no classic was case of unintentional Section 6. | | |
| - Contaminated packaging: | Not applicable. | | |
| - Relevant provisions: | Act on Sustainable W on waste catalogu management. | - | - |
| 14. TRANSPORT INFORMATION | | | |
| 14.1 UN number: | 1267 | | |
| 14.2 UN proper shipping name: | CRUDE OIL (vapour pres 110 kPa) | ssure at 50 °C | not larger that |
| 14.3 Transport hazard class(es) | | | |
| ADR/RID/ADN/ICAO/IATA: | 3 | | |
| IMDG: | 3 | | |
| | | | |
| 14.4 Packing group | | | |
| 14.4 Packing group ADR/RID/ADN/IMDG/ICAO/IATA: | : II | | |
| ••• | : II | | |
| ADR/RID/ADN/IMDG/ICAO/IATA: | : II yes | | |
| ADR/RID/ADN/IMDG/ICAO/IATA: 14.5 Environmental hazards | | | |
| ADR/RID/ADN/IMDG/ICAO/IATA: 14.5 Environmental hazards ADR, RID, ADN, ICAO/IATA: | yes yes | | |
| ADR/RID/ADN/IMDG/ICAO/IATA: 14.5 Environmental hazards ADR, RID, ADN, ICAO/IATA: IMDG: | yes yes | | |



SAFETY DATA SHEET According to the Regulation No. 1907/2006

Page 12 of 14

| Product PODRAVIN | A MIX CRUDE OIL | Date: Edition: | 13.3.2019 1 |
|---|----------------------|--------------------|----------------|
| Vehicle for tank carriage: FL | Tank code: LG | iBF | |
| Tank code: LGBF | Label: 3 | | |
| Tunnel restriction code: (D/E) | Classification of | code: F1 | |
| Label: 3 | Hazard identifi | cation: 33 | |
| Classification code: F1 | Special provisi | ons: 357, 640D | |
| Hazard identification: 33 | | | |
| Special provisions: 357, 640D, S2, S20 | | | |
| ADN | IMDG | | |
| Label: 3 | Subsidiary risk | :: - | |
| Additional requirements/Remarks: 14;* see 3.2.3.3 | Group of the c | argo: B | |
| Dangers: 3+ (N1,N2,N3,CMR,F) | Special provisi | ons: 357, TP1, TP8 | 3 |
| Equipment required: * | EmS: F-E, S-E | | |
| Classification code: F1 | Segregation gr | oup: B | |
| Carriage permitted: T | | | |
| Type of tank vessel: * | | | |
| Anti-explosion protection required: yes | | | |
| Maximum degree of filling in %: * | | | |
| ICAO | | | |
| Label: 3 | | | |
| Cargo IMP code: RFL | | | |
| Passenger and cargo aircraft: 5L | | | |
| Cargo aircraft only: 60L | | | |
| ERG code: 3L | | | |
| 14.7 Transport in bulk condition accore Codex | ding to MARPOL Co | onvention, Annex | II and IBC |
| Trade name: | | Not applicable. | |
| Pollution category (according to MARPOL | ., Annex II): | Not applicable. | |
| Vessel type (according to IBC Code): | | Not applicable. | |
| Special and operative requirements (acco | ording to IBC Code): | Not applicable. | |

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



According to the Regulation No. 1907/2006

Page 13 of 14

| limit values and biological limit values; Act on Sustainable | Product PODRA | VINA MIX CRUDE OIL | Date: Edition: | 13.3.2019 1 |
|--|------------------------------------|--|--|---|
| dangerous chemicals exposure during work, exposure limit values and biological limit values; Act on Sustainable Waste Management, Regulation on Waste Catalogue Regulation on waste management. - Authorization information: - - Restriction information: - - Chemical Safety Assessment carried out (CSA): YES X NO 16. OTHER INFORMATION Revision indicators | | European Parliament a Regulation (EU) 2015/8 Regulation (EC) No 1907 No. 2037/2000 of the E Council of 29 June 2000 ozone layer; EU Regu European Parliament an concerning the expor chemicals; EU Regulation Parliament and of the persistent organic polluta European Parliament an 2008 on waste and repe | and the Cour 330 of 28 May 7/2006 (REACH European Parlia) on substance ulation No 6 d of the Counci t and import on No 850/2004 Council of 2 ants; Directive 2 d of the Counci aling certain Di | ncil; Commission 2015 amending H); EU Regulation ament and of the s that deplete the 689/2008 of the il of 17 June 2008 t of dangerous of the European 9 April 2004 or 2008/98/EC of the il of 19 November rectives |
| Authorization information: - Restriction information: - Chemical Safety Assessment carried out (CSA): YES X NO 16. OTHER INFORMATION Revision indicators | - Applicable national regulations: | dangerous chemicals exposure during work, exposure limit values and biological limit values; Act on Sustainable Waste Management, Regulation on Waste Catalogue | | |
| - Chemical Safety Assessment carried out (CSA): YES X NO 16. OTHER INFORMATION Revision indicators | - Authorization information: - | 0 | 5 | |
| 16. OTHER INFORMATION Revision indicators | - Restriction information: - | | | |
| Revision indicators | - Chemical Safety Assessment carr | ried out (CSA): | YES X | NO |
| Revision indicators | | | _ | |
| | | | | |
| Section. Subject of change. | | nao. | | |
| | | inge. | | |

Full text of H- phrases, EUH- and P-phrases

| H225 | Highly flammable liquid and vapour. |
|----------|--|
| H304 | May be fatal if swallowed and enters airways. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H340 | May cause genetic defects. |
| H350 | May cause cancer. |
| H360D*** | May damage the unborn child. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |

Abbreviations and acronyms:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



According to the Regulation No. 1907/2006

Page 14 of 14

| Product | PODRAVINA MIX CRUDE OIL | Date: | 13.3.2019 |
|------------|--|-------------|------------------|
| | | Edition: | 1 |
| ADR | European Agreement concerning the Internation Goods by Road | nal Carria | ge of Dangerous |
| CAS number | Chemical Abstract Service number | | |
| CLP | Classification, Labelling and Packaging of substan | ices and n | nixtures |
| CSA | Chemical Safety Assessment | | |
| CSR | Chemical Safety Report | | |
| EC number | European Community number for identification commercially available in the EU | n of chen | nical substances |
| IATA | International Air Transport Association | | |
| ICAO | International Civil Aviation Organization | | |
| IMDG | International Maritime Dangerous Goods Code tra | nsport | |
| LC50 | Lethal concentration for 50% of tested organisms | | |
| LD50 | Lethal concentration for 50% of tested or concentration) | rganisms | (medium lethal |
| OIN | Oil industry notes | | |
| PBT | Persistent, bioaccumulative and toxic | | |
| REACH | Registration, Evaluation, Authorisation and Restric | tion of Ch | emicals |
| RID | Regulations Concerning the International Transpo Rail | ort of Dang | gerous Goods by |
| STOT (SE) | Specific Target Organ Toxicity (Single Exposure) | | |
| STOT (RE) | Specific Target Organ Toxicity (Repeated Exposur | re) | |
| UVCB | Chemical Substances of Unknown or Variab Reaction Products and Biological Materials | le Compo | osition, Complex |
| vPvB | Very persistent and very bioaccumulative | | |
| | | | |

Statement:

This SDS is in compliance with the Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 of the European Parliament and the Council. It contains important user health and safety and environmental protection information. The information provided herein is not a substitute for any specification of quality and should not be deemed as a guarantee of the adequacy and applicability of this product for any purpose whatsoever. All information provided herein is based on our current knowledge and compliant with applicable legal regulations. The user is responsible for adherence to relevant legal regulations.

Data source:

- 1. <u>www.hzt.hr</u>
- 2. <u>http://echa.europa.eu/hr</u>
- 3. Hazard classification and labelling of petroleum substances in the EEA, Concawe 2017.
- 4. Handbook Identified Uses of Petroleum Substances, Concawe, July 2018

APPENDIX: EXPOSURE SCENARIOS ACCORDING TO CHEMICAL SAFETY REPORT